

VOLEX

a special brand of whole series OTR tyres, Included OTR, IND, and FORKLIFT.

Total 75+sizes

L-5 E-3 L4S R3
IND-4
R-4 G-2/L-2
G-3 C-1 L-5S L-4





VOLEX brands have been registered worldwide.

VOLEX TIRE-----

TYPE / INTERNATIONAL PATTERN	SIZE / PR	PATTERN DEPTH (mm)	LOAD OTY 40'HC
	14.00-24/16	27	122
	16.00-24/20	27	88
	16/70-20/16	25	136
	15.5-25/16	24	130
	17.5-25/16	28	92
	20.5-25/20	31	72
	23.5-25/20	33	52
OTR	26.5-25/28	37	36
E3/L3	29.5-25/28	38	27
E3/U3	13.00-25/24	28	128
	16.00-25/28	24	80
	18.00-25/32	28	49
	17.5-25/16	30	92
	20.5-25/20	31	72
	23.5-25/20	35	52
	26.5-25/28	37	36
	23.5-25/20	36	52

			100 000
	26.5-25/28 23.5-25/20	37	36
		36	52
	all the second		ABBUTA
TYPE / INTERNATIONAL PATTERN	SIZE / PR	PATTERN DEPTH (mm)	LOAD OTY 40'HC
STATE SERVICE THE PARTY.	13.00-24/12	25	130
OTR G2/L2	14.00-24/16	25	122
	17.5-25/16	26	92
	20.5-25/20	29.5	72
	23 5-25/20	30.5	52

TYPE / INTERNATIONAL PATTERN	SIZE / PR	PATTERN DEPTH (mm)	LOAD OTY 40'HC
	10-16.5/10	19	550
	12-16.5/12	19	470
	14-17.5/14	19	300
	15-19.5/14	21	220
	10-16.5/10	30	530
	12-16.5/12	32	350
SKIDSTEER TUBELESS TIRE	10.5/80-18/10	22	300
SKS-1 / SKS-4 / R4	10.5/80-18/12	22	300
	12.5/80-18/12	25	284
	12.5/80-18/14	25	284
	19.5L-24/12	27	100
	16.9-28/10	25	97
	16.9-28/12	25	97
	16.9-24/10	25	110

TYPE / INTERNATIONAL PATTERN	SIZE / PR	PATTERN DEPTH (mm)	LOAD OTY 40'HC
OTR LS	17.5-25/16	62	92
	20.5-25/20	69	72
	23.5-25/20	76	52
	26.5-25/28	87	36
	29.5-25/28	87	27


VOLEX TIRE----

TYPE / INTERNATIONAL PATTERN	SIZE / PR	PATTERN DEPTH (mm)	LOAD OTY 40'HC
	5.00-12/6	24	2600
	6.00-12 (17) /8	24	1300
	6.50-16/6	25	830
	7.50-16/6	26	654
	7.50-20/6	26	660
	9.5-16/6	33	483
	9.5-20/8	33	409
AGRICULTURAL RI TIRE	9.5-24/8	33	335
RI	11.2-24/8	33	238
Title and the second	8-16/6	30	508
	11.2-28/8	35	212
	12.4-24/8	44	188
	12.4-28/8	36	176
	14.9-30/8	38	90
	16.9-30/10	38	94
	16.9-34/10	34	63

TYPE / INTERNATIONAL PATTERN	SIZE / PR	PATTERN DEPTH (mm)	LOAD OTY 40'HC
EXCAVATOR TUBE TIRE G2/L2	750-20/14	18.5	420
	8.25-20/14	19	394
	9.00-20/14	20	298
	10.00-20/16	20	280
	1100-20/16	24	242

TYPE / INTERNATIONAL PATTERN	SIZE / PR	PATTERN DEPTH (mm)	LOAD OTY 40'HC
	10.0/80-12/6	9	700
	10.0/80-12/8	9	700
	10.0/80-12/10	9	700
	10.0/75-15.3/18	10	600
	10.0/75-15.3/22	10	600
IMPLEMENT TRAILER TUBELESS TIRE	10.5/65-16/14	10	448
STS100	11.5/80-15.3/16	10	447
	11.5/80-15.3/18	10	447
	12.5/80-15.3/14	11	400
	10.5/80-18/10	10	388
	12.5/80-18/16	10	340
	13.0/65-18/16	10	350

TYPE / INTERNATIONAL PATTERN	SIZE / PR	PATTERN DEPTH (mm)	LOAD OTY 40'HC
	5.00-8/10	12	2800
The state of the s	6.00-9/10	13	1800
FORKLIFT TUBE TIRE FRKLFT	6.50-10/10	15	1300
	7.00-12/14	19	990
	7.50-15/14	19	690
	8.25-15/14	20	560
	28*9-15/12	20	792





In the past 6 years, VLOEX has been delivered to our clients in more than 30 countries.


All the VOLEX OTR Tyres get great feedback because of great quality.

3 mportant Points To Ensure Volex to Deliver Better Service





Volex









Magic Keys To Ensure VOLEX to Keep Low Failure-rate









Location: Ekaterinburg in Russia

Application: Salt Mine

Size: 14.00-20


Detail: Special Formula



3,000 Hours

VOLEX wins customers' satisfaction and trust





5 Production Bases

VOLEX gets
Full size product line
With stable performance



Location: AUS



After we finished the Anti-puncture **Tread Formula** upgrading, the tyre get more service life.





Location: Russia

Machine: Skid Steer Loader Tracking Period: 24 Weeks

Working Strength: 8 Hours/Day on Poor Road

Upgrade: Super Wear Resistance



After we finished the Super Wear Resistance Tread Formula upgrading, the tyre get more service life (from 450 hours to 600 hours)









We Make Sure That


Even You Need Different Tyres From Different VOLEX Production Bases,

We Can Load Them Easily.

Then You Can Get Them Quickly.

VOLEX TIRE MANAGEMENT







About VOLEX

VOLEX is an OTR tire brand from Qingdao Ornate Tire Group. It is a brand specialized for OTR bias /nylon tires reserching & manufacturing since 2009. From Construction, Mining, Industrial, Agriculture to Port tire etc. After years of testing and upgrading, 75 sizes \$\& 15\$ patterns in 5 production bases and failure rate is lower than 3‰, plus 10 people engineers team, we are able to develop customized products to clients needs. All of these achievements contribute to Volex's popularity in more than 30 countries and we boast to be an expert bias OTR tire solution provider in China.

